



Graphs




Graphs (§ 12.1)

- ◆ A graph is a pair (V, E) , where
 - V is a set of nodes, called **vertices**
 - E is a collection of pairs of vertices, called **edges**
 - Vertices and edges are positions and store elements
- ◆ Example:
 - A vertex represents an airport and stores the three-letter airport code
 - An edge represents a flight route between two airports and stores the mileage of the route




Edge Types

- ◆ Directed edge
 - ordered pair of vertices (u, v)
 - first vertex u is the origin
 - second vertex v is the destination
 - e.g., a flight
- ◆ Undirected edge
 - unordered pair of vertices (u, v)
 - e.g., a flight route
- ◆ Directed graph
 - all the edges are directed
 - e.g., route network
- ◆ Undirected graph
 - all the edges are undirected
 - e.g., flight network




Applications

- ◆ Electronic circuits
 - Printed circuit board
 - Integrated circuit
- ◆ Transportation networks
 - Highway network
 - Flight network
- ◆ Computer networks
 - Local area network
 - Internet
 - Web
- ◆ Databases
 - Entity-relationship diagram




Terminology

- ◆ End vertices (or endpoints) of an edge
 - U and V are the endpoints of a
- ◆ Edges incident on a vertex
 - a, d, and b are incident on V
- ◆ Adjacent vertices
 - U and V are adjacent
- ◆ Degree of a vertex
 - X has degree 5
- ◆ Parallel edges
 - h and i are parallel edges
- ◆ Self-loop
 - j is a self-loop




Terminology (cont.)

- ◆ Path
 - sequence of alternating vertices and edges
 - begins with a vertex
 - ends with a vertex
 - each edge is preceded and followed by its endpoints
- ◆ Simple path
 - path such that all its vertices and edges are distinct
- ◆ Examples
 - $P_1 = (V, b, X, h, Z)$ is a simple path
 - $P_2 = (U, c, W, e, X, g, Y, f, W, d, V)$ is a path that is not simple



Terminology (cont.)

- ◆ Cycle
 - circular sequence of alternating vertices and edges
 - each edge is preceded and followed by its endpoints
- ◆ Simple cycle
 - cycle such that all its vertices and edges are distinct
- ◆ Examples
 - $C_1 = (V, b, X, g, Y, f, W, c, U, a, V)$ is a simple cycle
 - $C_2 = (U, c, W, e, X, g, Y, f, W, d, V, a, U)$ is a cycle that is not simple



Properties

Property 1

$$\sum_v \deg(v) = 2m$$

Proof: each edge is counted twice

Notation


n number of vertices
 m number of edges
 $\deg(v)$ degree of vertex v

Property 2

In an undirected graph with no self-loops and no multiple edges

$$m \leq n(n-1)/2$$

Proof: each vertex has degree at most $(n-1)$



Example

- $n = 4$
- $m = 6$
- $\deg(v) = 3$


What is the bound for a directed graph?

Main Methods of the Graph ADT

- ◆ Vertices and edges
 - are positions
 - store elements
- ◆ Accessor methods
 - `endVertices(e)`: an array of the two endvertices of `e`
 - `opposite(v, e)`: the vertex opposite of `v` on `e`
 - `areAdjacent(v, w)`: true iff `v` and `w` are adjacent
 - `replace(v, x)`: replace element at vertex `v` with `x`
 - `replace(e, x)`: replace element at edge `e` with `x`
- ◆ Update methods
 - `insertVertex(o)`: insert a vertex storing element `o`
 - `insertEdge(v, w, o)`: insert an edge (`v,w`) storing element `o`
 - `removeVertex(v)`: remove vertex `v` (and its incident edges)
 - `removeEdge(e)`: remove edge `e`
- ◆ Iterator methods
 - `incidentEdges(v)`: edges incident to `v`
 - `vertices()`: all vertices in the graph
 - `edges()`: all edges in the graph


Edge List Structure (§ 12.2.1)

- ◆ Vertex object
 - element
 - reference to position in vertex sequence
- ◆ Edge object
 - element
 - origin vertex object
 - destination vertex object
 - reference to position in edge sequence
- ◆ Vertex sequence
 - sequence of vertex objects
- ◆ Edge sequence
 - sequence of edge objects




Adjacency List Structure (§ 12.2.2)

- ◆ Edge list structure
- ◆ Incidence sequence for each vertex
 - sequence of references to edge objects of incident edges
- ◆ Augmented edge objects
 - references to associated positions in incidence sequences of end vertices



Adjacency Matrix Structure (§ 12.2.3)

- ◆ Edge list structure
- ◆ Augmented vertex objects
 - Integer key (index) associated with vertex
- ◆ 2D-array adjacency array
 - Reference to edge object for adjacent vertices
 - Null for non-adjacent vertices
- ◆ The "old fashioned" version just has 0 for no edge and 1 for edge



Asymptotic Performance

	Edge List	Adjacency List	Adjacency Matrix
◆ n vertices, m edges ◆ no parallel edges ◆ no self-loops ◆ Bounds are "big-Oh"			
Space	$n + m$	$n + m$	n^2
<code>incidentEdges(v)</code>	m	$\text{deg}(v)$	n
<code>areAdjacent(v, w)</code>	m	$\min(\text{deg}(v), \text{deg}(w))$	1
<code>insertVertex(o)</code>	1	1	n^2
<code>insertEdge(v, w, o)</code>	1	1	1
<code>removeVertex(v)</code>	m	$\text{deg}(v)$	n^2
<code>removeEdge(e)</code>	1	1	1